



TM

NETBALL NEW ZEALAND
Pōitarawhiti Aotearoa

Venue Specifications

NETBALL NEW ZEALAND VENUE REQUIREMENTS

As at January 2009

For hosting:

- International matches
- ANZ Championship
- NZ Championships
- NZ Secondary School Championships
- NZ Age Group Netball Championships

These are the minimum requirements for any stadium or courts to be considered as host venue for future Netball New Zealand events.

In order to ensure player, umpire and spectator safety, these specifications are non-negotiable unless by prior arrangement with Netball New Zealand.

Netball New Zealand Minimum Facility Specifications	International (Test Matches)	International (other: NZSS, NZU21, NZA Games)	ANZ Championship (Indoor)	NZ Champs (Indoor)	NZ Secondary Schools Championships (Indoor)	NZ Age Group Champs (Indoor / Outdoor)
Number of courts	1 Court + warm up area for team substitutions	1 Court + warm up area for team substitutions	1 Court + warm up area for team substitutions	Round robin 1 court Finals 3 courts + 1 warm up area	2 courts + 1 warm up area	Indoor 5 courts Outdoor 6 courts + 3 warm up areas
Length	30.5m (100ft)	30.5m (100ft)	30.5m (100ft)	30.5m (100ft)	30.5m (100ft)	30.5m (100ft)
Width	15.25m (50ft)	15.25m (50ft)	15.25m (50ft)	15.25m (50ft)	15.25m (50ft)	15.25m (50ft)
Run Off (All signage, team benches and any other objects must be outside this run off space)	3.05m all sides Same level as the playing surface	3.05m all sides preferred Same level as the playing surface	3.05m all sides preferred	3.05m all sides preferred 2 courts 2 and 3 end-on – 5m between courts	3.05m all sides preferred 2 courts adjacent – 5m between courts	3.05m all sides preferred 2 courts adjacent – 5m between courts

Netball New Zealand Minimum Facility Specifications	International (Test Matches)	International (other: NZSS, NZU21, NZA Games)	ANZ Championship (Indoor)	NZ Champs (Indoor)	NZ Secondary Schools Championships (Indoor)	NZ Age Group Champs (Indoor / Outdoor)
Spectator Egress	2m all sides around total court (between team bench and first row of seating) Venue responsible to ensure egress fire regulations are met	2m all sides around total court (between team bench and first row of seating) Venue responsible to ensure egress fire regulations are met	2m all sides around total court (between team bench and first row of seating) Venue responsible to ensure egress fire regulations are met	2m all sides around total court (between team bench and first row of seating)	Negotiable	Negotiable
Floor Type	Sprung wooden flooring	Sprung wooden flooring	Sprung wooden flooring	Sprung wooden flooring preferred Court surfaces to be discussed with NNZ	Sprung wooden flooring preferred Court surfaces to be discussed with NNZ	Court surfaces to be discussed with NNZ
Lines	Form part of the court 50mm (2") wide	Form part of the court 50mm (2") wide	Form part of the court 50mm (2") wide	Form part of the court 50mm (2") wide	Form part of the court 50mm (2") wide	Form part of the court 50mm (2") wide
Surface Colours – Floors	Natural light timber preferred No permanent branding	Natural light timber preferred No permanent branding	Natural light timber preferred No permanent branding	Natural light timber preferred No permanent branding	Court surfaces to be discussed with NNZ No permanent branding	Court surfaces to be discussed with NNZ

Netball New Zealand Minimum Facility Specifications	International (Test Matches)	International (other: NZSS, NZU21, NZA Games)	ANZ Championship (Indoor)	NZ Champs (Indoor)	NZ Secondary Schools Championships (Indoor)	NZ Age Group Champs (Indoor / Outdoor)
Surface Colours – Line Marking	White preferred All other court lines taped out Continuous and clearly visible	White preferred All other court lines taped out Continuous and clearly visible	White preferred Continuous	White or yellow preferred All other court lines taped out Continuous	Netball markings clear and dominant	Netball markings clear and dominant
Goal Posts per Court	2 sunk goal posts 3.05m (10ft) high White nets Tested and open	2 sunk goal posts 3.05m (10ft) high White nets Tested and open.	2 sunk goal posts 3.05m (10ft) high White nets preferred Tested and open	2 sunk goal posts 3.05m (10ft) high White nets preferred Tested and open	2 sunk goal posts 3.05m (10ft) high White nets preferred Tested and open	2 sunk goal posts 3.05m (10ft) high White nets preferred Tested and open
Goal Post Padding	3.05m high 2cm thick	3.05m high 2cm thick	3.05m high 2cm thick	3.05m high 2cm thick	3.05m high 2cm thick	3.05m high 2cm thick
Clear Ceiling Height	8.3m	8.3m	8.3m	8.3m	8.3m	8.3m
Lighting Level	1,100 lux for TV	1,100 lux for TV	1,100 lux for TV	1,100 lux for TV	1,100 lux for TV	1,100 lux for TV
Seating Capacity – Individual seats with backs	Australia 5,000 Other 3,000	1,100	Round Robin 1,500 Semi finals 3,000 Finals 3,000	Round 1 negotiable Semi and finals 2,500	Round robin and semi finals negotiable Finals 500	Round robin and semi finals negotiable Finals 500
Team Changing Rooms	2 separate rooms 3 showers and 3 toilets Separate to public facilities Lockable	2 separate rooms 2 showers and 2 toilets Separate to public facilities Lockable	2 separate rooms 2 showers and 2 toilets Separate to public facilities Lockable	4 separate rooms Showers and toilets Separate to public facilities	4 separate rooms Showers and toilets Separate to public facilities	4 separate rooms Showers and toilets Separate to public facilities

Netball New Zealand Minimum Facility Specifications	International (Test Matches)	International (other: NZSS, NZU21, NZA Games)	ANZ Championship (Indoor)	NZ Champs (Indoor)	NZ Secondary Schools Championships (Indoor)	NZ Age Group Champs (Indoor / Outdoor)
Drug Testing Room	Waiting area 8 pax(4 athletes, 4 chaperones) Administration area with table and chairs 3 pax Dedicated toilet / hand basin Away from public and media access Lockable	Waiting area 8 pax(4 athletes, 4 chaperones) Administration area with table and chairs 3 pax Dedicated toilet / hand basin Away from public and media access Lockable	Waiting area 6 pax(3 athletes, 3 chaperones) Administration area with table and chairs 3 pax Dedicated toilet / hand basin Away from public and media access Lockable	Waiting area 6 pax(3 athletes, 3 chaperones) Administration area with table and chairs 3 pax Dedicated toilet / hand basin Away from public and media access Lockable	Not required	Not required
Medical Facilities	Separate first aid room Wheelchair access, 1 stretcher 1 wheelchair Doctor on site	Separate first aid room Wheelchair access, 1 stretcher 1 wheelchair Doctor on site preferred	1 stretcher 1 wheelchair Doctor on call	Separate first aid room Wheelchair access, 1 stretcher 1 wheelchair Doctor on call Massage therapist on call Physiotherapist on call	Separate first aid room Wheelchair access, 1 stretcher 1 wheelchair Doctor on call Massage therapist on call preferred Physiotherapist on call preferred	Separate first aid room Wheelchair access, 1 stretcher 1 wheelchair Doctor on call Massage therapist on call preferred Physiotherapist on call preferred
Hot and Cold Recovery	Facilities for teams and umpires	Facilities for teams and umpires	Facilities for teams and umpires	Facilities for teams and umpires	Facilities for teams and umpires preferred	Facilities for teams and umpires preferred

Netball New Zealand Minimum Facility Specifications	International (Test Matches)	International (other: NZSS, NZU21, NZA Games)	ANZ Championship (Indoor)	NZ Champs (Indoor)	NZ Secondary Schools Championships (Indoor)	NZ Age Group Champs (Indoor / Outdoor)
NNZ Administration Office / Green Room	Green room required Lockable Tea and coffee facilities	Green room required Lockable Tea and coffee facilities	Not required	Desk and chairs 5 pax Phone / modem lines and power Lockable Chairs and table 6 pax Tea and coffee facilities preferred	Desk and chairs 5 pax Phone / modem lines and power	Desk and chairs 2 pax Phone / modem lines and power Lockable Chairs and table 4 pax Tea and coffee facilities preferred
Function Rooms	150 pax cocktail	Not required	150 pax cocktail for semi finals and final	150 pax cocktail for final	Not required	Not required
Media / Communications Facilities – During game	Area for 15 pax Phone Power Unimpeded view of the court, courtside preferred 5 phone / modem lines 10 power lines Separate photographers table with power connections preferred	Area for 5 pax Phone Power Unimpeded view of the court, courtside preferred 5 phone / modem lines 5 power lines	Area for 5 pax Phone Power Unimpeded view of the court, courtside preferred	Area for 15 pax Phone Power Unimpeded view of the court, courtside preferred	Phone / modem lines Power	Phone / modem lines Power



